

10/588,902

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssspta1611bxv

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	AUG 10	Time limit for inactive STN sessions doubles to 40 minutes
NEWS	3	AUG 18	COMPENDEX indexing changed for the Corporate Source (CS) field
NEWS	4	AUG 24	ENCOMPLIT/ENCOMPLIT2 reloaded and enhanced
NEWS	5	AUG 24	CA/CAPLUS enhanced with legal status information for U.S. patents
NEWS	6	SEP 09	50 Millionth Unique Chemical Substance Recorded in CAS REGISTRY
NEWS	7	SEP 11	WPIDS, WPINDEX, and WPIX now include Japanese FTERM thesaurus
NEWS	8	OCT 21	Derwent World Patents Index Coverage of Indian and Taiwanese Content Expanded
NEWS	9	OCT 21	Derwent World Patents Index enhanced with human translated claims for Chinese Applications and Utility Models
NEWS	10	NOV 23	Addition of SCAN format to selected STN databases
NEWS	11	NOV 23	Annual Reload of IFI Databases
NEWS	12	DEC 01	FRFULL Content and Search Enhancements
NEWS	13	DEC 01	DGENE, USGENE, and PCTGEN: new percent identity feature for sorting BLAST answer sets
NEWS	14	DEC 02	Derwent World Patent Index: Japanese FI-TERM thesaurus added
NEWS	15	DEC 02	PCTGEN enhanced with patent family and legal status display data from INPADOCDB
NEWS	16	DEC 02	USGENE: Enhanced coverage of bibliographic and sequence information
NEWS	17	DEC 21	New Indicator Identifies Multiple Basic Patent Records Containing Equivalent Chemical Indexing in CA/CAPLUS
NEWS	18	JAN 12	Match STN Content and Features to Your Information Needs, Quickly and Conveniently
NEWS	19	JAN 25	Annual Reload of MEDLINE database
NEWS	20	FEB 16	STN Express Maintenance Release, Version 8.4.2, Is Now Available for Download
NEWS	21	FEB 16	Derwent World Patents Index (DWPI) Revises Indexing of Author Abstracts
NEWS	22	FEB 16	New FASTA Display Formats Added to USGENE and PCTGEN
NEWS	23	FEB 16	INPADOCDB and INPAFAMDB Enriched with New Content and Features
NEWS	24	FEB 16	INSPEC Adding Its Own IPC codes and Author's E-mail Addresses

10/588,902

NEWS EXPRESS FEBRUARY 15 10 CURRENT WINDOWS VERSION IS V8.4.2,
AND CURRENT DISCOVER FILE IS DATED 15 JANUARY 2010.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN customer
agreement. This agreement limits use to scientific research. Use
for software development or design, implementation of commercial
gateways, or use of CAS and STN data in the building of commercial
products is prohibited and may result in loss of user privileges
and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 11:34:26 ON 13 MAR 2010

=> file reg

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.22	0.22

FILE 'REGISTRY' ENTERED AT 11:34:43 ON 13 MAR 2010

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2010 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 12 MAR 2010 HIGHEST RN 1209528-92-6

DICTIONARY FILE UPDATES: 12 MAR 2010 HIGHEST RN 1209528-92-6

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 8, 2010.

Please note that search-term pricing does apply when
conducting SmartSELECT searches.



REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10588902.str

10/588,902



```
chain nodes :
7 8 11 12 14
ring nodes :
1 2 3 4 5 6
ring/chain nodes :
9
chain bonds :
2-7 3-14 4-12 6-11 7-8 7-9
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6
exact/norm bonds :
3-14 4-12 6-11 7-8 7-9
exact bonds :
2-7
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6
isolated ring systems :
containing 1 :
```

G1:O,S,N,X,Ak

10/588,902

G2:H,O,X,Cb,Ak

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 9:CLASS 11:CLASS
12:Atom 14:CLASS

Generic attributes :

12:


Saturation : Unsaturated

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR



G1 O,S,N,X,Ak

G2 H,O,X,Cb,Ak

Structure attributes must be viewed using STN Express query preparation.

=> s l1 sss sam

SAMPLE SEARCH INITIATED 11:35:04 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 1436 TO ITERATE

100.0% PROCESSED 1436 ITERATIONS

49 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 26447 TO 30993


PROJECTED ANSWERS: 560 TO 1400

L2 49 SEA SSS SAM L1

=> d scan

10/588,902

L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, 2-[(2-furanylmethyl)amino]-N-methyl-6-phenyl-
MF C17 H16 N4 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):49

10/588,902


L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4,5-Pyrimidinedicarboxamide, N5-(3-chloro-2-methylphenyl)-6-(6-methoxy-3-
pyridinyl)-2-methyl-N4-(2-methylpropyl)-
MF C24 H26 Cl N5 O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902


L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, 2-[ethyl(2-hydroxyethyl)amino]-6-phenyl-
MF C15 H18 N4 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902


L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4,5-Pyrimidinedicarboxamide, N5-(3-chloro-2,6-diethylphenyl)-6-(2-methoxy-
4-pyridinyl)-2-methyl-N4-propyl-
MF C26 H30 Cl N5 O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902


L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 5-Pyrimidinecarboxylic acid, 2-methyl-4-[[3-methyl-4-(phenylsulfonyl)-1-piperazinyl]carbonyl]-6-phenyl-, ethyl ester
MF C26 H28 N4 O5 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902

L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, N-[3-(diethylamino)propyl]-2-(hexylthio)-N-methyl-
6-(3,4,5-trimethoxyphenyl)-
MF C28 H44 N4 O4 S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902

L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, N-[(4-fluoro-3-methoxyphenyl)methyl]-2-methyl-6-
[2-[[[(1R,3S)-3-[(methylsulfonyl)amino]cyclopentyl]methyl]-2H-tetrazol-5-
yl]-
MF C22 H27 F N8 O4 S


Absolute stereochemistry. Rotation (+).



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902

L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, 2-(dimethylamino)-N-[(3,6-dimethyl-2-
pyridinyl)methyl]-6-(5-methyl-2-furanyl)-
MF C20 H23 N5 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902

L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, 6-[2-[(2S)-1,4-dioxan-2-ylmethyl]-2H-tetrazol-5-
yl]-N-[(4-fluoro-3-methoxyphenyl)methyl]-2-methyl-
MF C20 H22 F N7 O4


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902

L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, 2-amino-6-(2-furanyl)-N-(1-methyl-1-phenylethyl)-
MF C18 H18 N4 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902

L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, N-[(3-methoxyphenyl)methyl]-2-methyl-6-[2-
[[(2R,5S)-5-[[(methylsulfonyl)amino]methyl]-1,4-dioxan-2-yl]methyl]-2H-
tetrazol-5-yl]-, rel-
MF C22 H28 N8 O6 S

Relative stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902

L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN

IN 4-Pyrimidinecarboxamide, 2-amino-6-(5-methyl-2-furanyl)-N-(2-phenylethyl)-

MF C18 H18 N4 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902

L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, 6-[1-[(2R)-1,4-dioxan-2-ylmethyl]-1H-1,2,3-
triazol-4-yl]-N-[(4-fluoro-3-methoxyphenyl)methyl]-2-methyl-
MF C21 H23 F N6 O4


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902


L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, 2-(methylthio)-6-phenyl-
MF C12 H11 N3 O S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902


L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 5-Pyrimidinecarboxylic acid, 4-[[4-[[[(3-ethylphenyl)amino]carbonyl]-3-methyl-1-piperazinyl]carbonyl]-2-methyl-6-phenyl-, ethyl ester
MF C29 H33 N5 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902

L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, 2-(diethylamino)-6-(4-methylphenyl)-
MF C16 H20 N4 O




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902

L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN


IN 4-Pyrimidinecarboxamide, 2-azido-N-[1-[(cyclohexylamino)carbonyl]-3-methylbutyl]-N-(4-methoxyphenyl)-6-phenyl-

MF C30 H35 N7 O3



10/588,902


L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, 2-[(2-methylpropyl)amino]-6-phenyl-
MF C15 H18 N4 O



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902


L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 5-Pyrimidinecarboxamide, N-(3-chloro-2-methylphenyl)-4-(2-furanyl)-2-methyl-6-(1-pyrrolidinylcarbonyl)-
MF C22 H21 Cl N4 O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902


L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 5-Pyrimidinecarboxylic acid, 2-methyl-4-[[3-methyl-4-(1-oxopropyl)-1-piperazinyl]carbonyl]-6-phenyl-, ethyl ester
MF C23 H28 N4 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902

L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4,5-Pyrimidinedicarboxamide, N5-(3-chloro-2,6-diethylphenyl)-6-(2-chloro-4-methyl-5-thiazolyl)-2-methyl-N4-(2-methylpropyl)-
MF C25 H29 Cl2 N5 O2 S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902

L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, 6-[2-[(trans-4-aminocyclohexyl)methyl]-2H-
tetrazol-5-yl]-N-[(3-methoxyphenyl)methyl]-2-methyl-
MF C22 H28 N8 O2


Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902

L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, 2-(hexylthio)-N-[2-(1-piperazinyl)ethyl]-6-(3,4,5-trimethoxyphenyl)-
MF C26 H39 N5 O4 S
CI COM




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902

L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, N-[(3-chloro-4-fluorophenyl)methyl]-2-methyl-6-[2-
[(2S)-2-morpholinylmethyl]-2H-tetrazol-5-yl]-
MF C19 H20 Cl F N8 O2


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902

L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, 2-amino-N-[[6-[(cyclopropylmethoxy)methyl]-3-methyl-2-pyridinyl]methyl]-6-(2-furanyl)-
MF C21 H23 N5 O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902

L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, N-[(4-fluoro-3-methylphenyl)methyl]-6-[2-
[[(2S,5R)-5-(hydroxymethyl)-1,4-dioxan-2-yl]methyl]-2H-tetrazol-5-yl]-2-
methyl-
MF C21 H24 F N7 O4


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902

L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, 2-amino-6-(2-furanyl)-N-[(1-propyl-1H-imidazol-2-yl)methyl]-
MF C16 H18 N6 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902

L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, N-[(3-methoxyphenyl)methyl]-2-methyl-6-[1-[(2S)-2-morpholinylmethyl]-1H-1,2,3-triazol-4-yl]-
MF C21 H25 N7 O3


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902

L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, 2-amino-N-[(1,5-dimethyl-1H-pyrazol-3-yl)methyl]-
6-(4-methyl-2-thiazolyl)-
MF C15 H17 N7 O S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902

L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Morpholinecarboxylic acid, 2-[[5-[6-[[[4-fluoro-3-
methoxyphenyl)methyl]amino]carbonyl]-2-methyl-4-pyrimidinyl]-2H-tetrazol-2-
yl]methyl]-, 1,1-dimethylethyl ester, (2S)-
MF C25 H31 F N8 O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902


L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, 2-(diethylamino)-6-(2-methoxyphenyl)-
MF C16 H20 N4 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902


L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, 2-amino-N-[(4,6-dimethyl-2-pyridinyl)methyl]-6-(5-methyl-2-furanyl)-
MF C18 H19 N5 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902


L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, 2-(diethylamino)-6-[3-(hydroxymethyl)phenyl]-
MF C16 H20 N4 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902


L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4,5-Pyrimidinedicarboxamide, N5-(3-chloro-2-methylphenyl)-6-(6-chloro-3-
pyridinyl)-N4-cyclopropyl-2-methyl-
MF C22 H19 Cl2 N5 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902


L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, 2-[(2-hydroxy-2-phenylethyl)methylamino]-6-phenyl-
MF C20 H20 N4 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902


L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 5-Pyrimidinecarboxamide, N-(3-chloro-2,6-diethylphenyl)-2-methyl-4-(1-pyrrolidinylcarbonyl)-6-(2-thienyl)-
MF C25 H27 Cl N4 O2 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902


L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 5-Pyrimidinecarboxylic acid, 4-[[4-(3,5-dimethoxybenzoyl)-3-methyl-1-piperazinyl]carbonyl]-2-methyl-6-phenyl-, ethyl ester
MF C29 H32 N4 O6



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902

L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4,5-Pyrimidinedicarboxamide, N5-(3-chloro-2,6-diethylphenyl)-6-(2-chloro-4-methyl-5-thiazolyl)-2-methyl-N4-2-propen-1-yl-
MF C24 H25 Cl2 N5 O2 S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902

L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN Cyclohexanecarboxylic acid, 4-[[5-[6-[[[(4-fluoro-3-methoxyphenyl)methyl]amino]carbonyl]-2-methyl-4-pyrimidinyl]-2H-tetrazol-2-yl)methyl]-, trans-
MF C23 H26 F N7 O4


Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902

L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 5-Pyrimidinecarboxylic acid, 4-[[4-(2-chloro-4-nitrobenzoyl)-3-methyl-1-piperazinyl]carbonyl]-2-methyl-6-phenyl-, ethyl ester
MF C27 H26 Cl N5 O6




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902

L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN

IN 4-Pyrimidinecarboxamide, 6-[2-(1,4-dioxan-2-ylmethyl)-2H-tetrazol-5-yl]-N-
[(3-methoxyphenyl)methyl]-2-methyl-

MF C20 H23 N7 O4




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902

L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, 2-amino-6-(2-furanyl)-N-[(1S)-1-phenylethyl]-
MF C17 H16 N4 O2

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902

L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 1,4-Dioxane-2-carboxylic acid, 5-[[5-[6-[[[(4-fluoro-3-methoxyphenyl)methyl]amino]carbonyl]-2-methyl-4-pyrimidinyl]-2H-tetrazol-2-yl]methyl]-, methyl ester, (2R,5R)-rel-
MF C22 H24 F N7 O6


Relative stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902

L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, 2-amino-5-chloro-N-[[6-(methoxymethyl)-2-pyridinyl]methyl]-6-(5-methyl-2-furanyl)-
MF C18 H18 Cl N5 O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902

L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, N-[(4-fluoro-3-methoxyphenyl)methyl]-2-methyl-6-
[1-[[[(1R,3S)-3-[(methylsulfonyl)amino]cyclopentyl]methyl]-1H-1,2,3-triazol-
4-yl]-
MF C23 H28 F N7 O4 S


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902


L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, 2-amino-6-(4-methyl-2-thiazolyl)-N-[(4-methyl-2-thiazolyl)methyl]-
MF C14 H14 N6 O S2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902


L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, N-[(3-chloro-4-fluorophenyl)methyl]-2-methyl-6-
(2H-tetrazol-5-yl)-
MF C14 H11 Cl F N7 O



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902


L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, 2-(diethylamino)-6-(3,4-dimethoxyphenyl)-
MF C17 H22 N4 O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/588,902

L2 49 ANSWERS REGISTRY COPYRIGHT 2010 ACS on STN
IN 4-Pyrimidinecarboxamide, 2-[[(4-aminophenyl)sulfonyl]amino]-N-[4-
(aminosulfonyl)phenyl]-6-(2-hydroxyphenyl)-
MF C23 H20 N6 O6 S2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED

10/588,902

=> log y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.98

1.20

STN INTERNATIONAL LOGOFF AT 11:35:50 ON 13 MAR 2010